

INDIVIDUAL MARKING SYSTEMS



Express yourself!



trodat®


THE 2001 CATALOGUE



O v e r v


P i c t o g r a m s

Colour / product



These symbols indicate the product colours that can be supplied

Colour/Replacement ink pad



These symbols show the ink pad colours that can be supplied

Packaging type



Individual carton



Self service pack to hang and display

These symbols show the packaging types that can be supplied

Product lines



Printy Line/Text



Printy Line/dater



Professional Line/Text



Professional Line/dater



Replacement ink pad




Classic Line



Typomatic Line

These symbols identify specific product lines (e.g. Printy Line, Professional Line,...) and the product group (Text stamps, daters, numberers or dial-a-phrase stamps)



i

e

w

**PRINTY LINE**

Text stamps

4-7**PRINTY LINE**

Daters, daters + text, numberers and dial-a-phrase stamps

8-9**PROFESSIONAL LINE**

Text stamps

10-13**PROFESSIONAL LINE**

Daters, daters + text, numberers and dial-a-phrase stamps

14-17**TYPOMATIC LINE**Do-it-yourself text stamps
Daters with D-I-Y text**18-23****REPLACEMENT INK PADS**Replacement ink pads
for Printy Line and Professional Line**24-27****CLASSIC LINE and ACCESSORIES**Daters, daters + text, numberers and dial-a-phrase stamps,
Ink pads, stamp ink, stamp racks, pocket stamps,
transparent box**28-38****FURTHER PRODUCT
ASSORTMENT/ ADVERTISING MATERIAL**Trotec engraving systems, Goldring writing implements
with stamps / display, CD-ROM,...**39**

PRINTY LINE

PRINTY LINE

PROFESSIONAL LINE

PROFESSIONAL LINE

TYPOMATIC LINE

REPLACEMENT INK PADS

CLASSIC LINE

Bestseller

If there is one stamp that truly deserves the title of "best seller" then this can only be PRINTY BY TRODAT.

Sales of 100 million units speak for themselves. The Printy is not only one of the world's most frequently sold stamps, it is also one of the most widely imitated.

printy line

Printy Line Series stamps - individualized for every need: as a text stamp, dater, numberer or dial-a-phrase stamp. Fitted with rectangular, square or round text plates - in many different sizes and casing colours. The inkpad is built-in for all models and after its extended life ends all you need to do is simply replace it.



CLEAR OVERVIEW

The **INDEX WINDOW** on the top shows the full stamp text in the actual size.

The Printy you want at first glance!

PRINTY - ASSORTMENT OF COLOURS

			4910	4911	4912	4913	4915	4916	4921	4922	4923	4924	4926	4927	4928	4930	4940
STANDARD - ASSORTMENT (grey casing)	black/grey	1	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	red/grey	2	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
	blue/grey	3	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
OPAQUE PROGRAM ("topaz" = grey-transparent casing)	orange/topaz	4	X	X	X	X	X										
	red/topaz	5	X	X	X	X	X										
	aquamarine/topaz	6	X	X	X	X	X										
	yellow/topaz	7	X	X	X	X	X										
HYPER PROGRAM (coloured transparent)	blue/topaz	8	X	X	X	X	X										
	smoke topaz/topaz	9	X	X	X	X	X										
	orange	10	X	X	X	X	X										
	orange/green mix	11	X	X	X	X	X										
METALLIC PROGRAM (transparent casing)	green/orange mix	12	X	X	X	X	X										
	green	13	X	X	X	X	X										
	silver/topaz	14	X	X	X												
	blue/topaz	15	X	X	X												
	bronze/topaz	16	X	X	X												

Printy 4951-4755: blue/grey, 4724-4850: black/grey

trodat



I l e r



STABILITY

The **NON-SLIP RUBBER FEET** guarantee high stability and a low noise level during stamping.



PRACTICAL and SECURE

The **LOCKING MECHANISM ON BOTH SIDES** offers more security for use in all locked positions (up to 3 locking positions according to the model).



Text stamps

Whether for a name or address stamp, with or without a logo - whatever the requirement, there is a Printy with the required text plate size available.


Available product colours and replacement ink pad colours:

Colour / product

See table on Page 4/5



Colour / replacement ink pad
(for all Printy Line models)



4750, 4750/L,
4850, 4850/L, 46145



trodan

4910, 4911, 4912



Max. 26 x 9 mm

4910 1 → 13

Max. 38 x 14 mm

4911 1 → 16

Max. 47 x 18 mm

4912 1 → 16

6/4910
6/4911
6/4912



4913



Max. 58 x 22 mm

1 → 16

6/4913



4915



Max. 70 x 25 mm

1 → 13

6/4915



4916



Max. 70 x 10 mm

1 → 3

6/4916



4921, 4922



Max. 12 x 12 mm 1 → 3

Max. 20 x 20 mm 1 → 3


6/4921
6/4922



4924, 4940
4923, 4930




1 → 3



4924 Max. 40 x 40 mm

1 → 3




4923 Max. 30 x 30 mm

6/4924
6/4923



46045



Max. \varnothing 45 mm 1

6/46145



4926



Max. 75 x 38 mm

1 → 3

6/4926



4927




Max. 60 x 40 mm

1 → 3

6/4927



4928



Max. 60 x 33 mm

1 → 3

6/4928



IMPORTANT NOTE:
the dimensions given are the
cutting dimensions for pro-
ducing the text plates by laser.
Please note that the distance
between the text and the cut-
ting dimensions will depend
upon the production method in
use."

Daters + text, daters, numberers

Always up to date - Printys with date, customized text or various stock texts, and with numbers or text bands. Easy setting of date, numbers or text bands by turning the dateband wheels.

Setting the date:



Adjusting the date to the precise height of the text plate.



trodan

4724



14 DEC 2010

Max. 40 x 40 mm
Size of date: 3 mm

6/4924



4727



14 DEC 2010

6/4927



4740



14 DEC 2010

Max. \varnothing 40 mm
Size of date: 3 mm

6/4924



46145



14 DEC 2010

Max. \varnothing 45 mm
Size of date: 4 mm

6/46145/2



4750, 4750/L



14 DEC 2010

Max. 41 x 24 mm
Size of date: 4 mm

6/4750
(4750)



L 1:

RECEIVED

14 DEC 2010

further texts
available:
L 2: PAID
L 9: FAXED
Size of date: 4 mm

6/4750/2
(4750/L)



and dial-a-phrase stamp

4800, 4810



1 4 DEC 2010

Size of characters: 3 mm (4800)

2 8 AUG 2010

Size of characters: 3,8 mm (4810)

4813, 4817



Max. 26 x 9 mm

1 7. NOV 2010

Size of date:
3,8 mm (4813)

RECEIVED 17. NOV 2010

Size of date:
3,8 mm (4817)

further texts
available 4817:

ANSWERED
Backordered
CANCELLED
BILLED
RECEIVED
CHARGED
CHECKED
DELIVERED
ENTERED
PAID
SHIPPED
FAXED

4820



1 4 DEC 2010

Size of characters: 4 mm

4822



ORIGINAL

Size of characters: 4 mm

further texts available:

CANCELLED
FAXED
DRAFT
APPROVED
URGENT!
PLEASE!
ORIGINAL
COPY
AIR MAIL
FIRST CLASS
CONFIDENTIAL
CONFIRMATION

4846



1 2 3 4 5 6

Size of characters: 4 mm

further texts
available:

Nº / / , ¼ Kg
€ - - F ½ %
· X ¢ ¾ /
\$

4850, 4850/L



Max. 25 x 5 mm

2 8 AUG 2010

size of date: 3,8 mm (4850)
Text plate thickness: 2,3 mm

L 1:

RECEIVED

2 8 AUG 2010

further texts
available:

L 2: PAID
L 9: FAXED

6/4850/2



"IMPORTANT NOTE:
the dimensions given are the
cutting dimensions for pro-
ducing the text plates by laser.
Please note that the distance
between the text and the cut-
ting dimension will depend
upon the production method in
use."



PRINT
LINE

Business

Innovation that eases the routine of the business day - products from the Professional Line Series provide the ideal combination of technology and modern design with their "compound structure" - combining a tough, robust metal core with an attractively formed plastic casing.

professional line

Stamps in the Professional Line Series are available as text stamps, daters, numberers or phrase stamps - in many different sizes. A built-in ink pad is standard for all models and can simply be changed after its durable life.

ROBUST

The **COMPOUND STRUCTURE** combines a hard metal core with a modern plastic casing.



CLEAR OVERVIEW

The **INDEX WINDOW** shows the full stamp text in the actual size. The Professional Line you want as soon as you see it!



STABILITY

The **NON-SLIP RUBBER FEET** guarantee high stability and a low noise level during stamping.




EXACT

The **EASY POSITION CONTROL** enables you to precisely stamp in the desired location.

trodax

s m a n



GENEREROUS DIMENSIONS

The small size of the **DATE SLOT** in the daters and numberer band stamps means there is more space available for the individual setting of stamp texts.



PRACTICAL AND SECURE

The **LOCKING MECHANISM ON BOTH SIDES** offers more security for use in all locked positions.



professional line

Text stamps


Company and address stamp, also available with company logo - a Professional Line stamp with the text plate size needed is available for every requirement.

Choice of possible product colours and replacement ink pad colours.

Colour/handle top standard red. Other colours available on request.




Colour/Replacement ink pad (for all Professional Line models).



5415, 5430, 5431, 5440,
5460, 5470, 5480,
5430/L, 5440/L, 5460/L



5200



Max. 41 x 24 mm




5203



Max. 49 x 28 mm




5204



Max. 56 x 26 mm



5206



Max. 56 x 33 mm

6/50



6/53



6/56



6/56



trodat

5207



Max. 60 x 40 mm

5208



Max. 68 x 47 mm

5215




PROFESSIONAL
LINE

IMPORTANT NOTE:
the dimensions given are the
cutting dimensions for pro-
ducing the text plates by laser.
Please note that the distance
between the text and the cut-
ting dimensions will depend
upon the production method in
use."

professional line


Daters + Text

Daters with customized stamp texts in various text plate sizes. Easy to set date by turning the dateband wheels.

Setting the date:



Adjust the date to the precise height of the text plate:



trodat

5430



14 DEC 2010

Max. 41 x 24 mm

Size of date: 4 mm

5431



14 DEC 2010

Max. 41 x 24 mm

Size of date: 3 mm

5440



14 DEC 2010

Max. 49 x 28 mm

Size of date: 4 mm

5460



14 DEC 2010

Max. 56 x 33 mm

Size of date: 4 mm

6/50



6/50



6/53



6/56



5470



14 DEC 2010

Max. 60 x 40 mm

Size of date: 4 mm

6/57



5480



14 DEC 2010

Max. 68 x 47 mm

Size of date: 4 mm

6/58



5415



14 DEC 2010

6/15/2



"IMPORTANT NOTE:
 the dimensions given are the
 cutting dimensions for pro-
 ducing the text plates by laser.
 Please note that the distance
 between the text and the cut-
 ting dimensions will depend
 upon the production method in
 use."

professional line

Daters, daters + stock text, numberers

The office organisation professionals - daters, daters in combination with stock texts or as numberers and dial-a-phrase stamps. Easy setting of date, numbers and text bands by turning the dateband wheels.

Setting text band:



5030



14 DEC 2010

Size of date: 4 mm

5430/L



PAID
14 DEC 2010
Per

Size of date: 4 mm

further texts available:

PAID
RECEIVED
FAXED

6/50/2



5440/L



RECEIVED
14 DEC 2010

Size of date: 4 mm

further texts available:

PAID
FAXED
POSTED
RECEIVED

6/53/2



5460/L



L 1:

RECEIVED
14 DEC 2010

Size of date: 4 mm

further texts available:

L1: RECEIVED
L2: PAID
L9: FAXED

6/56/2



5117



CHECKED 14 DEC 2010

Size of characters: 4 mm

further texts available:

1 ANSWERED
2 Backordered
3 CANCELLED
4 BILLED
5 RECEIVED
6 CHARGED
7 CHECKED
8 DELIVERED
9 ENTERED
10 PAID
11 SHIPPED
12 FAXED

trodat

and dial-a-phrase stamp



1 2 3 4 5 6

Size of characters: 4 mm

further texts
available:

N° / / , ¼ Kg
€ - - F ½ %
· X ¢ ¾ /
\$

6/50



1 2 3 4 5 6 7 8

Size of characters: 5 mm

further texts
available
5558, 5558/PL:

N° / / / / , ¼ Kg
€ - - - - F ½ %
· · · X ¢ ¾ /
\$

6/56



1 2 3 4 5 6 7 8 9 1

Size of characters: 5 mm

further texts
available
55510, 55510/PL:

N° / / , ¼ Kg / , Kg N°
€ - - F ½ % - F % €
· X ¢ ¾ / · ¢ / #
\$

6/56



1 2 3 4 5 6 7 8

Max. 56 x 33 mm Size of characters: 5 mm

Text plate thickness including adhesive film: 2,3 mm

6/56



1 2 3 4 5 6 7 8 9 1

Max. 56 x 33 mm Size of characters: 5 mm

Text plate thickness including adhesive film: 2,3 mm

6/56



"IMPORTANT NOTE:
the dimensions given are the
cutting dimensions for pro-
ducing the text plates by laser.
Please note that the distance
between the text and the cut-
ting dimensions will depend
upon the production method in
use."



PROFESSIONAL
LINE

Selfmad

Do you do everything for yourself? And you want it at once? Then you are an individualist who should reach for stamps of the Typomatic Line. Fitted with all the product advantages of the Printy or Professional Line all the Typomatic Line stamps allow you to set all the stamp texts yourself and to change them whenever you want.

typomatic line

Typomatic Line Series stamps are available as phrase stamps and daters and in several different text plate sizes.



trodan

e m a n



TYPOMATIC LINE

ROBERT NORMAN
EXPORT MANAGER
LINZER STRASSE 15B
A-4600 WELS AUSTRIA
TEL. 07222 / 239-0

NEW / NOUVEAU
NUOV / NE
072 42 - 23

STATION SERVICE
OFFICE HOURS
MON - FRI 9 AM - 5 PM
SAT 9 AM - 1 PM
SUN 10 AM - 1 PM



typomatic line printy


Phrase stamps, daters + text

New or changed post codes, telephone numbers or addresses... Do-it-yourself Printys are the benchmark for the flexibility you need today. Stamps are provided with a range of accessories (depending on the model):

- Type set with letters in two different sizes
- Tweezers for setting type
- Replacement ink pad



Colour/replacement ink pad (for all Typomatic Line models)



4755, 5435, 5465



trodan

4951



ROBERT NORMAN
EXPORT MANAGER
VIENNA-AUSTRIA

For up to 3 lines of text
1 Set of type (6003):
17 letters per line: 3 mm

6/4911



4952



ROBERT NORMAN
EXPORT MANAGER
A-4000 WELLS AUSTRIA
TEL. 07242/230-0

For up to 4 lines of text
1 Set of type (6003):
21 letters per line: 3 mm
1 Set of type (6004):
17 letters per line: 4 mm

6/4912



4953



ROBERT NORMAN
EXPORT MANAGER
LINZER STRASSE 180
A-4000 WELLS AUSTRIA
TEL. 07242/230-0

For up to 5 lines of text
1 Set of type (6003):
26 letters per line: 3 mm
1 Set of type (6004):
21 letters per line: 4 mm

6/4913



4957



MAX. EIGHT LINES OF TEXT
MAXIMUM HUIT LIGNES DE TEXTE
HASTA MAX. OCHO LINEAS DE TEXTO
BIS ZU ACHT ZEILEN TEXT
PERTIMRI FINN AOTTORIGNE
TOT ACHT REGELS TEKST
MAX. MYHLIC SMRHS SZÜVEDIG
TEKST AD NACHMNN CTPDK


For up to 8 lines of text
1 Set of type (6003):
27 letters per line: 3 mm
1 Set of type (6004):
22 letters per line: 4 mm

6/4927



- do-it-yourself

4755



Size of date: 4 mm
For up to 2 lines of text
1 Set of type (6004)
15 letters per line: 4 mm

6003



Size of characters: 3 mm (328 types: Block letters)

6004



Size of characters: 4 mm (264 types: Block letters)

6/4750/2



TYPOMATIC
LINE

typomatic line professional

Phrase stamps, daters + text -


Do-it-yourself stamps from the Professional Line product series - in addition to the advantages of this product series the 5253 model offers an additional special feature: Two type setting plates for two stamp texts you can change with a single hand movement.

Type sets


Specially developed types with letters, numerals and special characters are suitable for every Typomatic stamping device of the Printy and also the Professional Line, and they can be combined randomly.

User instructions 5253

Changing the type setting plates in the 5253 model:



5435



size of date: 4 mm

For up to 2 lines of text

1 Set of type (6004)

15 letters per line: 4 mm

6/50/2



5465



size of date: 4 mm

For up to 4 lines of text

1 Set of type (6003)

24 letters per line: 3 mm

1 Set of type (6004)

20 letters per line: 4 mm

6/56/2



5253



For up to 6 lines of text

1 Set of type (6003)

21 letters per line: 3 mm

1 Set of type (6004)

17 letters per line: 4 mm



trodan

do-it-yourself

6003



Size of characters: 3 mm (328 types: Block letters)

6004



Size of characters: 4 mm (264 types: Block letters)



TYPOMATIC
LINE

True Co


Replacement ink pads for Printy and Professional Line - colour has come into the world of stamps.

Ink pads in five different colours are available for all models, in addition, two colour ink pads are available for daters.



Replacement ink pads

A patented two component ink pad insert ensures excellent and constant print quality. Inks are all water based and non-toxic. They are child-safe and contain only food-stuff compatible materials. They are completely free of heavy metals.



trodat

Attention: further information for the replacement of inkpads is shown on the corresponding product packaging

l o u r s



TWO IN ONE

The **DATE** in red and the **TEXT** in blue emphasizes the stamped phrase.



REPLACEMENT INK PAD

Replacement inkpads

All pad colours

professional line



stamp	replacement inkpad		black	blue	red	violet	green	red-blue	
	new	old						new	old
5200	6/50	6/4430						-	-
5203	6/53	6/4610						-	-
5204	6/56	6/4420						-	-
5206	6/56	6/4420						-	-
5207	6/57	-						-	-
5208	6/58	6/4208						-	-
5215	6/15	-						-	-
5030	6/50	6/4430						-	-
5415	6/15	-						6/15/2	-
5430	6/50	6/4430						6/50/2	6/4430/2
5430/L	6/50	6/4430						6/50/2	6/4430/2
5431	6/50	6/4430						6/50/2	6/4430/2
5440	6/53	6/4610						6/53/2	6/4610/2
5440/L	6/53	6/4610						6/53/2	6/4610/2
5460	6/56	6/4420						6/56/2	6/4420/2
5460/L	6/56	6/4420						6/56/2	6/4420/2
5470	6/57	-						6/57/2	-
5480	6/58	6/4208						6/58/2	6/4208/2
5117	6/56	6/4420						-	-
5546	6/50	6/4430						-	-
5558	6/56	6/4420						-	-
5558/PL	6/56	6/4420						6/56/2	6/4420/2
55510	6/56	6/4420						-	-
55510/PL	6/56	6/4420						6/56/2	6/4420/2
5253	6/53	6/4610						-	-
5435	6/50	6/4430						6/50/2	6/4430/2
5465	6/56	6/4420						6/56/2	6/4420/2

= not suitable for the corresponding stamp

metal self-inking stamps (old models)



4200	6/50	6/4430						-	-
4202	-	6/4202						-	-
4203	6/53	6/4610						-	-
4204	-	6/4204						-	-
4206	6/56	6/4420						-	-
4207	-	6/4207						-	-
4208	6/58	6/4208						-	-
4000, 4010	-	6/4010						-	-
4400, 4410	-	6/4010						-	-
4430	6/50	6/4430						6/50/2	6/4430/2
4430/L	6/50	6/4430						6/50/2	6/4430/2
4431	6/50	6/4430						6/50/2	6/4430/2
4440	6/53	6/4610						6/53/2	6/4610/2
4460	6/56	6/4420						6/56/2	6/4420/2
4470	-	6/4207						-	6/4207/2
4480	6/58	6/4208						6/58/2	6/4208/2
4022	6/50	6/4430						-	-
4030	6/50	6/4430						-	-
4031	6/50	6/4430						-	-
4034	6/50	6/4430						-	-
4117	-	6/4204						-	-
4546	6/50	6/4430						-	-
4548	6/50	6/4430						-	-
4558	6/53	6/4610						-	-
4558/PL	6/53	6/4610						-	6/4610/2
45510	-	6/4204						-	-
45510/PL	-	6/4204						-	-

at a glance

p inty line



stamp	replacement inkpad	black	blue	red	violet	green	red-blue
4910	6/4910						-
4911	6/4911						-
4912	6/4912						-
4913	6/4913						-
4915	6/4915						-
4916	6/4916						-
4921	6/4921						-
4922	6/4922						-
4923	6/4923						-
4930	6/4923						-
4924	6/4924						-
4940	6/4924						-
46045	6/46145						-
4926	6/4926						-
4927	6/4927						-
4928	6/4928						-
4760	6/4750						-
4724	6/4924						-
4740	6/4924						-
46145	6/46145						6/46145/2
4727	6/4927						-
4750	6/4750						6/4750/2
4750/L	6/4750						6/4750/2
4800	6/4911						-
4810	6/4910						-
4813	6/4817						-
4817	6/4817						-
4820	6/4911						-
4822	6/4911						-
4846	6/4911						-
4850	6/4850						6/4850/2
4850/L	6/4850						6/4850/2
4951	6/4911						-
4952	6/4912						-
4953	6/4913						-
4957	6/4927						-
492150	6/4921						-
496201 - 04	6/4912						-
4755	6/4750						6/4750/2

p inty (old models)



4700	6/4710						-
4710	6/4710						-
4722	6/4710						-
4746	6/4710						-
4914	6/4914						-
4954	6/4914						-
4910 OLD*	6/4910 OLD						-

* for all other Printy models the replacement pads are also suitable for the old Printy design.

Evergreen

Do you love the classics? Stamps, that truly deserve the name evergreens are the products in the Classic Line Series.

Hand stamps of the Classic Line are available as daters with and without text, as dial-a-phrase stamps, numberers or alphabet stamps.

classic line

These are not only an attractively priced alternative to self-inking stamps but also they offer a range of distinct product advantages. The 2710/2910 models are remarkable as much for their modern design as for their compound structure which contains a super strong material core.


SIMPLE

Central **HEIGHT ADJUSTMENT** of the date using a setting screw on the handle.



PRACTICAL

The **LOCKING MECHANISM** lets you easily release the text plate using only one hand.



FUNCTIONAL

The **DATE BAND WHEELS** are used to easily set the date and to identify the stamp in use from the front.

trodan

e e n



classic line

Daters + Text

The 2710/2910 Series daters - many different text plate sizes makes this suitable for any text. All text plates are suitable for both the 2710 model and 2910 model. Special plates and standard texts available upon request.



2710, 2910

Setting the date:



2710, 2710/U - models without dateband wheels. Date setting by using a pen.

Setting the date to the height of text plate:



14 DEC 2010

14 DEC 2010

14 DEC 2010

14 DEC 2010

14 DEC 2010

14 DEC 2010

Size of date: 4 mm

trodat

14 DEC 2010

14 DEC 2010

14 DEC 2010

14 DEC 2010

14 DEC 2010

P30
Max. Ø 51 mm



classic line

Daters + time plate

The 2710/2910 models are also available in a version with time on the text plate - Your choice of 12 hour or 24 hour format is available.

Setting the time:

The time is adjusted simply by turning the adjustment ring.



2710/U1-12



Ø 50 mm
Size of date: 4 mm

2710/U1-24
Ø 50 mm
Size of date: 4 mm



2910/U1-12



Ø 50 mm
Size of date: 4 mm

2910/U1-24
Ø 50 mm
Size of date: 4 mm



trodat

daters



1010 Size of characters: 4 mm

14 DEC 2010
1000
Size of characters: 3 mm

14 DEC 2010

1010 MA Size of characters: 4 mm

14 -10- 2010

1010 ISO Size of characters: 4 mm

2010 -02-10

1014 Size of characters: 4 mm

18.05.09

1020 Size of characters: 5 mm

14 DEC 2010

1020 ISO Size of characters: 5 mm

2010 -10- 20




classic line

Dial-a-phrase stamps + date, daters + text

Hand stamps with frequently used short texts, in combination with the date - the last word in supporting office organisation.

Setting the text (1117):



Select a text, turn to setting number in window, the selected text is ready for stamping.



PAID 1 4 DEC 2010

Size of characters: 4 mm

ANSWERED	CHECKED
BACKORDERED	DELIVERED
CANCELLED	ENTERED
BILLED	PAID
RECEIVED	SHIPPED
CHARGED	FAXED

CHECKED 1 4 DEC 2010

1117/L

Size of characters: 4 mm

ANSWERED	ACKNOWLED
SUPPLY BY	TELEPHONED
CANCELLED	PAID
ORDERED	RECEIVED
INVOICED	DELIVERED
CHECKED	ENTERED

2226



Double dated line dater with plate (no band height adjustment)

from 12.12. till 17.12.09

Max. 67 x 30 mm

Size of date: 4 mm

2210

14 DEC 2010

No band height adjustment

Max. 47 x 30 mm

Size of date: 4 mm

2210/L1 "Received"

Max. 47 x 30 mm

Size of date: 4 mm

RECEIVED
14 DEC 2010

2210/L2 "Paid"

Max. 47 x 30 mm

Size of date: 4 mm

PAID
14 DEC 2010

classic line

Band numberers



Standard version: 4, 6, 8, 10 and 12 figures. You may customize your numberer with letter bands (A-M and N-Z) and/or with custom bands (letters, numerals or symbols as required)

The bands are supplied with the following figures and symbols:

Size of characters 3 - 12 mm

0	0	0	0	0	0
.
.
9	9	9	9	9	9
Nº	/	/	,	¼	Kg
€	-	-	F	½	‰
#	.	x	c	¾	/
\$					

4 figure stamps have no third and fifth band.

Size of characters 15 - 18 mm

0	0	0	0	0	0
.
.
9	9	9	9	9	9
Nº	/	x	F	¾	¼
St.	.	,	/	-	½

4 figure stamps have no second and third band.

8 figure, 10 figure and 12 figure stamps: in addition to the figures each band is supplied with the symbols /-.

1534 Size of characters: 3 mm **1 2 3 1**
 1536 Size of characters: 3 mm **1 2 3 1 2 3**
 1538 Size of characters: 3 mm **1 2 3 1 2 3 1 2**
 15310 Size of characters: 3 mm **1 2 3 1 2 3 1 2 3 1**
 15312 Size of characters: 3 mm **1 2 3 1 2 3 1 2 3 1 2 3**

1544 Size of characters: 4 mm **1 2 3 1**
 1546 Size of characters: 4 mm **1 2 3 1 2 3**
 1548 Size of characters: 4 mm **1 2 3 1 2 3 1 2**
 15410 Size of characters: 4 mm **1 2 3 1 2 3 1 2 3 1**
 15412 Size of characters: 4 mm **1 2 3 1 2 3 1 2 3 1 2 3**

1554 Size of characters: 5 mm **1 2 3 1**
 1556 Size of characters: 5 mm **1 2 3 1 2 3**
 1558 Size of characters: 5 mm **1 2 3 1 2 3 1 2**
 15510 Size of characters: 5 mm **1 2 3 1 2 3 1 2 3 1**
 15512 Size of characters: 5 mm **1 2 3 1 2 3 1 2 3 1 2 3**

1574 Size of characters: 7 mm **1 2 3 1**
 1576 Size of characters: 7 mm **1 2 3 1 2 3**
 1578 Size of characters: 7 mm **1 2 3 1 2 3 1 2**

1594 Size of characters: 9 mm **1 2 3 1**
 1596 Size of characters: 9 mm **1 2 3 1 2 3**
 1598 Size of characters: 9 mm **1 2 3 1 2 3 1 2**

trodan

15910 Size of characters: 9 mm

1231231231

15912 Size of characters: 9 mm

123123123123

15926 Size of characters: 12 mm

123123

15156 Size of characters: 15 mm

123123

15184 Size of characters: 18 mm

1231

15186 Size of characters: 18 mm

123123



Accessories range

Stamp racks, stamp pads, stamp ink, pocket stamp, transparent box

Stamp racks

The stamp rack for classic stamps.

Stamp pads

Stamp pads for stamps in 3 sizes and in the colours black, blue, red, violet and green.

Pocket Stamp "Vienna"

Stamp comes with small die, handy plastic box and stamp pad, available in two sizes.

Pocket Stamp 9400

The stamp with a pocket clip is the perfect accessory for the traveller.

Stamp Ink

To re-ink your stamp pad.

Stamp racks

3008

holds 8 stamps

3014

holds 14 stamps



Stamp pads

9051

Size: 9 x 5 cm

9052

Size: 11 x 7 cm

9053

Size: 16 x 9 cm



Pocket Stamp "Vienna"



9011

Max. 39 x 14 mm

9012

Max. 54 x 18 mm

Pocket Stamp 9400



Max. 35 x 9 mm

Stamp Ink 7011

black
blue
red
violet
green



Transparent box

The exclusive alternative to individual cartons - available for Printy 4911, 4912 and 4913.



Printy 4910 with key ring

The constant companion - handy at anytime!



Max. 26 x 9 mm

trodan

6/4910



Additional product range

Avertising material



Trotec product catalogue -
for information about the
high-tech power laser.

Goldring product catalogue -
for information about
writing implements and
key chains with built-
in stamps.

**Stamp printer product
catalogue - information**
about the thermal printer
for the production of pre-
inked stamps.

- CD Stamp Island
- CD Lineart
(product drawings in black and white)
- CD catalogue Trotec
- CD catalogue Stamps
- CD Tro-DOS 1
(MS-DOS version)
- CD Tro-DOS 2
(MS-DOS version)
- CD Poster for Product Range
- CD Pocket Stamp
- CD max.line
- CD Stamp Printer
- CD Typomatic
- CD 2710/2910
- CD Goldring



CD ROM's:

CD Professional
Line:

- 5415
- 5430
- 5440
- 5460
- 5470
- 5480
- 5117

CD Printy
Line:

- CD Printy
- CD Printy 4813
- CD Printy 4820
- CD Printy 4850
- CD Printy 4927
- CD Printy 4928
- CD Printy Visual Line
- CD Printy 46045
- CD Printy New Colours

Miscellaneous

advertising material

You will find the extensive
range of advertising and
communication media in a
separate brochure - available
at your Trodat distributor -
or on our internet website.

<http://www.trodat.net>



made by Trodat

Trodat has established a quality policy whose goals and principles ensure the continued development of personnel, processes and products -

Total Quality Management

What does this mean for Trodat?

Certification to EN ISO 9001 (since 21. 6. 95) ensuring the highest quality standards in each stage of production.

Every single product in the Printy Line and Professional Line Series is tested for functionality before it leaves our facility.

All plastic used is PVC free and free of heavy metals.

The colours used for the inkpads are water based, non-toxic, foodstuff compatible and child-safe and also free of heavy metals.

International patents protect many Trodat products.



E-MAIL: trodat@at.trodat.net
<http://www.trodat.net>

Printed on paper bleached with environmentally friendly process.

Modification for the purpose of technical improvement reserved!